



SANITARYWARE
2021



CONTENT

ABOUT	2
FEATURE	3
ONE PIECE TOILET	5
TWO PIECES TOILET	10
WALL HUNG TOILET	15
BIDET, URINAL & SQUATTING PAN	16
PEDESTAL BASIN	17
COUNTER BASIN & WALL HUNG BASIN	20
SUITE SERIES	21

ABOUT

WHO WE ARE

We are manufacturer of bathroom products at the best vaule. Such as tolites, basins, bidets, bathroom cabinet, faucet and other accessories.



WHY FOHOME

We value our customers, they are the most important thing for us.

VISION

To become custome's first choice sanitary ware supplier in China.

MISSION

To make customer's purchases easier, more efficient, safer.

VALUE

To make customer's every purchase gains the best value in the market.

SPIRIT

Teamwork, sharing, embracing change, never giving up, being professional and efficient, keeping improvement.

SERVICES



Photo and video shoot



Catalog design



Products inspection



Logo customized



Package design



Shipment consolidation

FEATURE



DOUBLE - SHIFT WATER OULET

the design of 3/4.5L double-shift water outlet not only ensures the thorough cleaning, but also water-saving.



RIMLESS TOILET

Traditional flush rims attract germs, dirt and deposits. Fohome Rimless Toilet is designed entirely without a flush rim. Therefore, there are no hidden, hard-to-reach places where bacteria can build up and odor can develop.



SOFT CLOSE SEAT COVER

Tamper is installed, it can reduce the noise of collision when the seat cover is closed.



EASY - TO - CLEAN GLAZING

The surface of porcelain glaze is so greatly smooth that it is easy to clean and has no hidden, hard-to-reach places where bacteria can build up.



WHOLE - SEWER GLAZING

The inner surface of the sewer is completely glazed so that the flush is very fast and clean, without any blockage.



EASY ASSEMBLY AND DISASSEMBLY

The design of easy assembly and disassembly is excellent. A slight twist can ensure the toilet is easy to clean.



WARRANTY

Load Bearing Test 400 kgs for WC & 100 kgs for WB.

Autoclave Test for Craze resistance.

Chemical resistance test to negate the possibility of stains.

Spectra Photometer test for colour stability.

Flushing tests: (a) 100 ball test (b) Ink test.



BATHROOM

— WHERE YOU START
AND FINISH EACH DAY —

You wake up, use the toilet, wash your hands, take a shower and are out the door. Before going to bed, you relieve yourself... Toilet plays an important role in making the room as distinctive as the individual using it. With a range of models and styles, dream bathroom become a reality. Beautiful design, superior durability improve ease of use and maximum comfort.

With features that increase comfort ,
FOHOME sanitaryware let you enjoy life.



FH1262

Rimless Siphonic one-piece toilet
Size: 720(L)*405(W)*660(H)mm
S-trap: 300mm



FH1236

Rimless Siphonic one-piece toilet
Size: 690(L)*370(W)*780(H)mm
S-trap: 300mm



FH1263

Rimless Siphonic one-piece toilet
Size: 660(L)*380(W)*810(H)mm
S-trap: 300mm



FH1470

Rimless Siphonic one-piece toilet
Size: 700(L)*370(W)*760(H)mm
S-trap: 300mm



FE1259

Siphonic one-piece toilet
Size: 700(L)*395(W)*730(H)mm
S-trap: 300/400mm



FM1226

Rimless siphonic one piece toilet
Size: 665(L)*380(W)*750(H)mm
S-trap: 300mm



FM1252

Rimless siphonic one piece toilet
Size: 670(L)*380(W)*710(H)mm
S-trap: 300mm

ONE PIECE TOILET



FM1314

Rimless siphonic one piece toilet
Size:687(L)*380(W)*618(H)mm
S-trap: 300mm



FM1313

Rimless siphonic one piece toilet
Size:660(L)*357(W)*677(H)mm
S-trap: 300mm



FM1312

Siphonic one piece toilet
Size:720(L)*380(W)*655(H)mm
S-trap: 300mm



FY1311

Siphonic one-piece toilet
Size:660(L)*330(W)*710(H)mm
S-trap:300mm



FM1203

Rimless siphonic one piece toilet
Size:680(L)*370(W)*710(H)mm
S-trap: 300mm



FM1205

Rimless siphonic one piece toilet
Size:655(L)*355(W)*740(H)mm
S-trap: 300mm



FM1217

Rimless siphonic one piece toilet
Size:635(L)*355(W)*725(H)mm
S-trap: 300mm

ONE PIECE TOILET



FE1219

Siphonic one-piece toilet
Size:630(L)*370(W)*700(H)mm
S-trap: 300/400mm



FM1229

Rimless siphonic one piece toilet
Size:655(L)*355(W)*710(H)mm
S-trap: 300mm



FM1209

Rimless siphonic one piece toilet
Size:690(L)*380(W)*750(H)mm
S-trap: 300mm



FY1303-1

Washdown one-piece toilet
Size:720(L)*360(W)*650(H)mm
P-trap: 180mm
S-trap:250mm



FY1303-2

Washdown one-piece toilet
Size:665(L)*360(W)*670(H)mm
P-trap:180mm
S-trap:220/250/300mm



FE1224

Siphonic one-piece toilet
Size:670(L)*355(W)*750(H)mm
S-trap: 300/400mm



FH1358

Rimless Siphonic one-piece toilet
Size:700(L)*380(W)*710(H)mm
S-trap: 300/400mm



FM1228

Rimless siphonic one piece toilet
Size:675(L)*375(W)*745(H)mm
S-trap: 300mm



FM1210

Rimless siphonic one piece toilet
Size:700(L)*375(W)*760(H)mm
S-trap: 300mm



FH1212

Washdown one-piece toilet
Size:670(L)*370(W)*760(H)mm
S-trap:220/300mm



FH1237

Rimless Siphonic one-piece toilet
Size:640(L)*370(W)*730(H)mm
S-trap:300mm



FH1268

Rimless Siphonic one-piece toilet
Size:660(L)*380(W)*750(H)mm
S-trap: 300mm



FH1219

Rimless Siphonic one-piece toilet
Size:650(L)*340(W)*710(H)mm
S-trap: 300mm



FH1221

Rimless Siphonic one-piece toilet
Size:640(L)*350(W)*770(H)mm
S-trap:300mm



FH1232

Rimless Siphonic one-piece toilet
Size:680(L)*320(W)*710(H)mm
S-trap:300mm



FH1235

Rimless Siphonic one-piece toilet
Size:645(L)*348(W)*745(H)mm
S-trap: 300mm



FH1261

Rimless Siphonic one-piece toilet
Size:700(L)*380(W)*710(H)mm
S-trap 300mm



FH1260

Rimless Siphonic one-piece toilet
Size:680(L)*370(W)*730(H)mm
S-trap: 300mm



FH1223

Siphonic one-piece toilet
Size:700(L)*390(W)*750(H)mm
S-trap: 300/400mm



FH1369

Siphonic one-piece toilet
Size:690(L)*370(W)*760(H)mm
S-trap: 300/400mm



FH1210

Washdown one-piece toilet
Size:640(L)*375(W)*690(H)mm
S-trap: 300mm



FH1215

Rimless Siphonic one-piece toilet
Size:660(L)*357(W)*747(H)mm
S-trap: 300mm



FH1218

Siphonic one-piece toilet
Size:670(L)*360(W)*665(H)mm
S-trap 300mm

TWO PIECES TOILET



F6305H-1

Washdown two-piece toilet
Size:640(L)*380(W)*745(H)mm
P-trap: 180mm



F6305V-1

Washdown two-piece toilet
Size:652(L)*389(W)*753(H)mm
S-trap: 220mm



F6305H-2

Washdown two-piece toilet
Size:640(L)*380(W)*745(H)mm
P-trap: 180mm



F6305V-2

Washdown two-piece toilet
Size:640(L)*380(W)*745(H)mm
S-trap: 220mm



F6106H-1

Washdown two-piece toilet
Size:655(L)*385(W)*735(H)mm
P-trap: 180mm



F6106V-1

Washdown two-piece toilet
Size:655(L)*385(W)*735(H)mm
S-trap: 220mm



F6106H-2

Washdown two-piece toilet
Size:652(L)*389(W)*730(H)mm
P-trap: 180mm



F6106V-2

Washdown two-piece toilet
Size:652(L)*389(W)*730(H)mm
S-trap: 220mm

TWO PIECES TOILET



F6301H-2

Washdown two-piece toilet
Size:670(L)*380(W)*745(H)mm
P-trap:180mm



F6301V-2

Washdown two-piece toilet
Size:670(L)*380(W)*745(H)mm
S-trap:220mm



F6315

Washdown two-piece toilet
Size:675(L)*400(W)*810(H)mm
P-trap:180mm
S-trap:278mm



F6302-1

Washdown two-piece toilet(disabled)
Size:672(L)*380(W)*820(H)mm
P-trap:180mm



F6302-2

Washdown two-piece toilet(disabled)
Size:683(L)*380(W)*840(H)mm
P-trap:180mm



F6302-3

Washdown two-piece toilet(disabled)
Size:675(L)*370(W)*820(H)mm
P-trap:180mm



F6212

Siphonic two-piece toilet
Size:685(L)*485(W)*815(H)mm
S-trap:300mm, 3"flush



F6213

Siphonic two-piece toilet
Size:735(L)*415(W)*825(H)mm
S-trap:300mm, 3"flush



F6214

Siphonic two-piece toilet
Size:690(L)*380(W)*745(H)mm
S-trap:300mm

TWO PIECES TOILET



F6216

Siphonic two-piece toilet
Size:670(L)*380(W)*725(H)mm
S-trap:300mm



F6306

Washdown two-piece toilet
Size:645(L)*420(W)*775(H)mm
P-trap:182mm



F6314

Washdown two-piece toilet
Size:655(L)*370(W)*770(H)mm
P-trap:180mm
S-trap:220mm



F6309

Washdown two-piece toilet
Size:635(L)*365(W)*787(H)mm
P-trap:180mm



F6325

Washdown two-piece toilet
Size:610(L)*375(W)*785(H)mm
P-trap:180mm



F6326

Washdown two-piece toilet
Size:608(L)*370(W)*778(H)mm
P-trap:180mm



F6326R

Rimless washdown two-piece toilet
Size:610(L)*375(W)*785(H)mm
P-trap:180mm

TWO PIECES TOILET



F6324

Washdown two-piece toilet
Size:605(L)*370(W)*793(H)mm
P-trap:180mm



F6327

Washdown two-piece toilet
Size:700(L)*380(W)*790(H)mm
P-trap: 180mm
S-trap:220mm



F6329

Washdown two-piece toilet
Size:640(L)*380(W)*810(H)mm
P-trap: 180mm
S-trap:220mm



F63205

Washdown two-piece toilet
Size:705(L)*360(W)*775(H)mm
P-trap: 180mm
Size:675(L)*380(W)*770(H)mm
S-trap:250mm



F6319

Washdown two-piece toilet
Size:720(L)*390(W)*820(H)mm
P-trap:180mm
S-trap:220mm



F6341

Universal Washdown two-piece toilet
Size:673(L)*383(W)*790(H)mm
P-trap: 180mm
S-trap:220/250mm



TWO PIECES TOILET



F6113

Rimless Washdown two-piece closet
Size:645(L)*360(W)*760(H)mm
P-trap: 185mm
S-trap:220mm



F6127

Washdown two-piece toilet
Size:635(L)*370(W)*760(H)mm
P-trap: 180mm
S-trap:220mm



F6112

Universal Washdown two-piece toilet
Size:650(L)*350(W)*785(H)mm
P-trap:180mm
S-trap:220mm



F6130

Universal Washdown two-piece toilet
Size:630(L)*350(W)*747(H)mm
P-trap:180mm
S-trap:220mm



F6321

Indepent toilet
Size:465(L)*360(W)*390(H)mm
P-trap:180mm



F6405

Back to wall toilet
Size:525(L)*360(W)*410(H)mm
P-trap:180mm



F6409

Back to wall toilet
Size:520(L)*360(W)*410(H)mm
P-trap:180mm



F6426

Back to wall toilet
Size:495(L)*413(W)*400(H)mm
P-trap:180mm



F6429

Back to wall toilet
Size:520(L)*350(W)*420(H)mm
P-trap:180mm

WALL HUNG TOILET



F4103

wall hung toilet
Size:480(L)*380(W)*320(H)mm
P-trap:180mm



F4104

wall hung toilet
Size:480(L)*380(W)*320(H)mm
P-trap:180mm



F4105

Wall hung toilet
Size:540(L)*360(W)*385(H)mm
P-trap:180mm



F8106

Bidet
Size: 545(L)*355(W)*380(H)mm



F8101

Bidet
Size: 545(L)*380(W)*405(H)mm



F8141

Bidet
Size: 550(L)*355(W)*412(H)mm



F8205

Bidet
Size: 535(L)*355(W)*385(H)mm

URINAL & SQUATTING PAN



FU9101

Urinal
Size: 325(L)*295(W)*490(H)mm



FU9103

Urinal
Size: 388(L)*300(W)*615(H)mm



FS9001

Squatting pan
Size: 510(L)*390(W)*175(H)mm



PEDESTAL BASIN



F7103

Full pedestal basin
Size:520(L)*435(W)*800(H)mm



F7104

Full pedestal basin
Size:510(L)*400(W)*790(H)mm



F7121

Full pedestal basin
Size:510(L)*405(W)*860(H)mm



FH2201

Full pedestal basin
Size:510(L)*440(W)*825(H)mm



F7123

Full pedestal basin
Size:550(L)*470(W)*860(H)mm



F7105

Full pedestal basin
Size:570(L)*455(W)*825(H)mm

PEDESTAL BASIN



F7106

Full pedestal basin
Size:500(L)*420(W)*790(H)mm



F7108

Full pedestal basin
Size:570(L)*440(W)*840(H)mm



F7109

Full pedestal basin
Size:550(L)*450(W)*855(H)mm



F7115

Full pedestal basin
Size:580(L)*480(W)*805(H)mm



F7116

Full pedestal basin
Size:540(L)*437(W)*825(H)mm



F7125

Full pedestal basin
Size:550(L)*470(W)*830(H)mm



F7126

Full pedestal basin
Size:560(L)*450(W)*830(H)mm



F7127

Full pedestal basin
Size:570(L)*460(W)*775(H)mm



F7120

Full pedestal basin
Size:620(L)*510(W)*900(H)mm

PEDESTAL BASIN



F7124

Full pedestal basin
Size: 555(L)*410(W)*840(H) mm



F7209

Semi pedestal basin
Size: 520(L)*420(W)*525(H)mm



F7220

Semi pedestal basin
Size: 620(L)*510(W)*535(H)mm



F7202

Semi pedestal basin
Size: 500(L)*480(W)*360(H)mm



F7201

Semi pedestal basin
Size: 540(L)*450(W)*370(H)mm



F7203

Semi pedestal basin
Size: 540(L)*450(W)*390(H)mm



COUNTER BASIN & WALL HUNG BASIN



F7301

Above counter basin
Size:500(L)*460(W)*190(H)mm



F7302

Under counter basin
Size:470(L)*390(W)*190(H)mm



F7303

Under counter basin
Size:18/20/22 inch



F7404

Under counter basin
Size:18/20/22 inch



F7401

Wall hung basin
Size:455(L)*345(W)*160(H)mm



F7403

Wall hung basin
Size:550(L)*480(W)*190(H)mm



F7405

Wall hung basin
Size:360(L)*230(W)*150(H)mm



F7406

Wall hung basin
Size:510(L)*245(W)*165(H)mm



F7421

Wall hung basin
Size:510(L)*405(W)*190(H)mm



F63205

Washdown two-piece toilet
 Size:705(L)*360(W)*775(H)mm
 P-trap: 180mm
 Size:675(L)*380(W)*770(H)mm
 S-trap:250mm



F8205

Bidet
 Size:535(L)*355(W)*385(H)mm



F6341

Universal Washdown two-piece toilet
 Size:673(L)*383(W)*790(H)mm
 P-trap: 180mm
 S-trap:220/250mm



F8141

Bidet
 Size:550(L)*355(W)*412(H)mm



F6305H-2

Washdown two-piece toilet
 Size:640(L)*380(W)*745(H)mm
 P-trap: 180mm



F7121

Full pedestal basin
 Size:510(L)*405(W)*860(H)mm



F63205

Washdown two-piece toilet
 Size:705(L)*360(W)*775(H)mm
 P-trap: 180mm
 Size:675(L)*380(W)*770(H)mm
 S-trap:250mm



F7123

Full pedestal basin
 Size:550(L)*470(W)*860(H)mm



F6319

Washdown two-piece toilet
Size:720(L)*390(W)*820(H)mm
P-trap:180mm
S-trap:220mm



F7120

Full pedestal basin
Size:620(L)*510(W)*900(H)mm



F6306

Washdown two-piece toilet
Size:645(L)*420(W)*775(H)mm
P-trap:182mm



F7116

Full pedestal basin
Size:540(L)*437(W)*825(H)mm



F6314

Washdown two-piece toilet
Size:655(L)*370(W)*770(H)mm
P-trap:180mm
S-trap:220mm



F7109

Full pedestal basin
Size:550(L)*450(W)*855(H)mm



F7209

Semi pedestal basin
Size:520(L)*420(W)*525(H)mm



F6106A

Washdown two-piece toilet
Size:665(L)*357(W)*725(H)mm
P-trap:185mm
S-trap:220mm



F7102

Full pedestal basin
Size:530(L)*420(W)*840(H)mm



F8106

Bidet
Size: 545(L)*355(W)*380(H)mm



F6325

Washdown two-piece toilet
Size:610(L)*375(W)*785(H)mm
P-trap:180mm



F7125

Full pedestal basin
Size:550(L)*470(W)*830(H)mm



F6326

Washdown two-piece toilet
Size:608(L)*370(W)*778(H)mm
P-trap:180mm



F7126

Full pedestal basin
Size:560(L)*450(W)*830(H)mm



F6326

Washdown two-piece toilet
Size:608(L)*370(W)*778(H)mm
P-trap:180mm



F6426

Back to wall toilet
Size:495(L)*413(W)*400(H)mm
P-trap:180mm



F6329

Washdown two-piece toilet
Size:640(L)*380(W)*810(H)mm
P-trap: 180mm
S-trap:220mm



F6429

Back to wall toilet
Size:520(L)*350(W)*420(H)mm
P-trap:180mm



 **FOHOME**

ADDRESS

Henan Fohome Sanitary Ware Co.,Ltd
Wangcheng street, Luolong District,
Luoyang City, Henan Province, China.

Tel: +86 379 61747889
Mobile: +86 13937950777

Email: annie@fohomeceramics.com



www.fohomeceramics.com



[facebook.com/
Fohomeceramics](https://facebook.com/Fohomeceramics)



[twitter.com/
Fohomeceramics](https://twitter.com/Fohomeceramics)



[instagram.com/
fohomeceramics](https://instagram.com/fohomeceramics)